


AD A 0 56784

EASTERN-WESTI ARCTIC SEA ICE AN





409 783


EASTERN-WESTERN TIC SEA ICE ANALYSES. A043353

LEVEL



1977

409 783



TOUP.

78 07 17 129

## FOREWARD


The U.S. Navy has a long and colorful history of polar exploration and currently is an active participant in the growing national activity in the Arctic and Antarctic. The strategic importance and increased demand for the natural resources of these areas has resulted in a greater requirement for environmental information.

Until a few years ago, reliable sea ice information in the polar regions was based on a relatively few shore station and ship reports augmented by limited serial reconnaissance data. These data were further restricted to the relatively small areas observed primarily during the ship operating season. The principal aim of this publication is to provide operators and researchers with historical weekly hemispheric analyses of sea ice conditions derived principally from satellite imagery supplemented by conventional observations.

The advent of high resolution satellite imagery combined with the ground truth of conventional observations has only recently provided description of the polar ice fields on a semi-synoptic scale. Since 1970, the Fleet Weather Facility at Suitland, Maryland has prepared operational analyses and forecasts of sea ice conditions in the Arctic and Antarctic for the Department of Defense and various other users. The results of these initial efforts are contained herein.

The charts were construent satellite imagery and convention rather the current analysis we was compared with available radiometer imagery, visual an (NOAA) satellites and microw the primary data sources. List Meteorological Satellite Progratilized. The 19.85 GHZ mich NIMBUS V provided an ice of source during the polar night seasons with adequate light, with 1 KM resolution and the NOAA 2, 3, and 4 satellites with to seasonally small water.

The user of this public effort prepared for operations regarding any aspect of the a



## FOREWARD

m and currently is an active The strategic importance ad in a greater requirement

ions was based on a directornaissance data.

primarily during the ship erators and researchers principally from satellite


ground truth of polar ice fields on a Maryland has prepared Antarctic for the itial efforts are


White Section of Butt Section of Butt Section of Butt Section of Butter of B


The charts were constructed by Navy ice analysis under operational time constraints from satellite imagery and conventional data. Reanalysis with late data was not normally attempted; rather the current analysis was prepared incorporating this to the extent possible. The analysis was compared with available climatology in an attempt to climinate gross errors. Scanning radiometer imagery, visual and infrared, from the National Oceanic and Atmospheric Administration (NOAA) satellites and microwave radiometer data from the NIMBUS V research satellite were the primary data sources. Limited use of the Earth Resources LANDSAT and Defense Meteorological Satellite Program (DMSP) imagery as well as conventional observations were utilized. The 19.35 GHZ microwave radiometer with 25 kilometer (KM) resolution aboard NIMBUS V provided an ice edge and limited inner pack conditions. This was the basic data source during the polar night and over areas dominated by persistent cloud cover. During the seasons with adequate light, visual data from the Very High Resolution Radiometer (VHRR) with 1 KM resolution and the 4 KM resolution data from the Scanning Radiometer aboard NOAA 2, 3, and 4 satellites were utilized. Infrared radiometer data was of limited value primarily due to seasonally small water-ice temperature differences.


The user of this publication is reminded that the information presented reflects an initial effort prepared for operational use and should temper his application accordingly. Comments regarding any aspect of the analysis effort are welcomed.


JOHN A. JEPSON Captain, U.S. Navy Commanding Officer Fleet Weather Facility Suitland, Maryland











































Course Course


Principal Principal


[ Common |


-





























































































































































































































































































































































the second the


· Process


Freeman Project


-






















-

crimed bearing bearing


Comments & Comments


The second second








,














































































































000

The state of the state of

the sample of the same of the same of

Section of the last of the las

